Printing date 26.08.2020 Version: 3 Revision: 26.08.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Solent Orange Plus
- · Article number: 40440002
- · UFI: 2JHU-MHGG-VR38-HXDY
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Degreaser
- · 1.3 Details of the supplier of the safety data sheet

Supplier: Solent, Wigston, Leicester,

England. LE18 2FS

Phone: +44 (0)116 288 8000 Fax: +44 (0)116 288 8222 Manufacturer:

ZEP UK Ltd

PO Box 12 Tanhouse Lane Widnes Cheshire, WA8 0RD

United Kingdom

Phone: +44 0151 422 1000 FAX: +44 0151 422 1011 @: info@zep.co.uk web: www.zep.co.uk

ZEP Industries BV Vierlinghweg 30 4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117 Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395 @: sales@zepbenelux.com

ZEP ITALIA SRL

Sede legale: Piazzale Luigi Cadorna, 2 - Milano - (MI) Sede amministrativa: Via Nettunense Km. 25.000

04011 Aprilia (LT) - Italy Tel: +39.06.926691 Fax: +39.06.92747061 @: tecnico@zepeurope.com

Sito: www.zep.it

Further information obtainable from:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

#### · 1.4 Emergency telephone number:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· EU: Tel. 112

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

  (Contd. on page 2)

Printing date 26.08.2020 Version: 3 Revision: 26.08.2020

Trade name: Solent Orange Plus

#### · Hazard pictograms

(Contd. of page 1)







GHS07

S07 GHS08 G

#### · Signal word Danger

#### Hazard-determining components of labelling:

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics d-limonene

#### · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

### · Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

*P331* Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

· Results of PBT and vPvB assessment

PBT: Not applicable.

· vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

EC number: 926-141-6 Reg.nr.: 01-2119456620-43	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics  ♦ Asp. Tox. 1, H304	50-75%
CAS: 5989-27-5 EINECS: 227-813-5 Reg.nr.: 01-2119529223-47-xxxx	d-limonene   Flam. Liq. 3, H226	5-10%
CAS: 5131-66-8 EINECS: 225-878-4 Reg.nr.: 01-2119475527-28-xxxx	3-butoxypropan-2-ol  Skin Irrit. 2, H315; Eye Irrit. 2, H319	5-10%
CAS: 68439-46-3 Polymer	Alcohol ethoxylate C9 - C11  (1) Eye Irrit. 2, H319	2.5-5%
CAS: 97-99-4 EINECS: 202-625-6 Reg.nr.: 01-2119968921-26-xxxx	tetrahydro-2-furylmethanol  Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	2.5-5%
CAS: 100-79-8 EINECS: 202-888-7 Reg.nr.: 01-2120066005-66-xxxx	2,2-dimethyl-1,3-dioxolan-4-ylmethanol  Eye Irrit. 2, H319	1-2.5%
CAS: 106-65-0 EINECS: 203-419-9 Reg.nr.: 01-2119486681-29-xxxx	dimethyl succinate  • Eye Irrit. 2, H319	1-2.5%

## Ingredients according to Detergents Regulation 648/2004/EC

For the wording of the listed hazard phrases refer to section 16.

Aliphatic hydrocarbons  $\geq 30\%$  (Contd. on page 3)

Printing date 26.08.2020 Version: 3 Revision: 26.08.2020

Trade name: Solent Orange Plus

Nonionic surfactants

(Contd. of page 2)

### SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Use only in well ventilated areas.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Printing date 26.08.2020 Version: 3 Revision: 26.08.2020

Trade name: Solent Orange Plus

(Contd. of page 3)

#### · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs	· DNELs		
5989-27-5	5989-27-5 d-limonene		
Oral	DNEL acute-systemic	4.76 mg/kg human/day (consumer)	
Inhalative	DNEL Acute-systemic mg/m3	33.3 mg/m3 (worker)	
5131-66-8	3-butoxypropan-2-ol		
Oral	DNEL Long term-systemic	8.75 mg/kg human/day (consumer)	
Dermal	DNEL Acute-systemic	44 mg/kg human/day (consumer)	
		16 mg/kg human/day (worker)	
	DNEL Long term-systemic	16 mg/kg human/day (consumer)	
		44 mg/kg human/day (worker)	
Inhalative	DNEL Long term-systemic mg/m3	33.8 mg/m3 (consumer)	
	DNEL Acute-systemic mg/m3	270.5 mg/m3 (worker)	

#### · PNECs

### 5131-66-8 3-butoxypropan-2-ol

PNEC Freshwater mg/L	0.525~mg/L
PNEC Marinewater mg/L	0.525 mg/L 0.0525 mg/L
PNEC Freshwater sediment	2.36 mg/Kg
PNEC Marine water sediment	0.236 mg/Kg
PNEC Intermittent release	5.25 (mg/l)
PNEC Soil	2.36 mg/Kg 0.236 mg/Kg 5.25 (mg/l) 0.16 mg/Kg
PNEC Sewage treatment Plant mg/L	10 mg/L

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Respiratory protection: Filter A
- · Protection of hands:



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

PVA gloves

- · Not suitable are gloves made of the following materials: Strong material gloves
- Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 26.08.2020 Version: 3 Revision: 26.08.2020

Trade name: Solent Orange Plus

· Body protection: Solvent resistant protective clothing

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information

· Appearance:

Form: Liquid Colourless Colour: Odour: Citrus · Odour threshold: Not determined.

· Change in condition

*Melting point/freezing point:* Undetermined. Initial boiling point and boiling range: Undetermined.

· Flash point:

63 °C Not applicable.

· Flammability (solid, gas):

Not determined.

· Decomposition temperature: · Auto-ignition temperature:

Product is not selfigniting.

Explosive properties:

Product does not present an explosion hazard.

Not determined.

· Explosion limits:

Lower: Upper: Not determined. Not determined.

· Vapour pressure:

Not determined.

· Density at 20 °C: · Relative density · Vapour density

 $0.85 \text{ g/cm}^3$ Not determined. Not determined.

· Evaporation rate

Not determined.

Solubility in / Miscibility with

water:

Not determined.

Insoluble.

Partition coefficient: n-octanol/water: Viscosity:

Dynamic: Kinematic: Not determined. Not determined.

Solvent content:

Organic solvents: Swiss VOC:

79.5 % 17.13 %

· 9.2 Other information

No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 26.08.2020 Version: 3 Revision: 26.08.2020

Trade name: Solent Orange Plus

			(Contd. of p
· LD/LC50	values relevant for cl	assification:	
Hydrocarl	bons, C11-C14, n-alk	anes, isoalkanes, cyclics, <2% aromatics	
Oral	LD50	>5,000 mg/kg (Rat) (OECD 401)	
Dermal	LD50	>5,000 mg/kg (Rabbit) (OECD 402 (24 h))	
Inhalative	LC50/8 h	>5,000 mg/m3 (Rat) (OECD 403)	
5989-27-5	5989-27-5 d-limonene		
Oral	LD50	4,400 mg/kg (Rat)	
Dermal	LD50	>5,000 mg/kg (Rat)	
		>2,000 mg/kg (Rabbit)	
	EC50	34.1 mg/ltr (Daphnia magna (water flea))	
5131-66-8	3-butoxypropan-2-ol		
Oral	LD50	3,300 mg/kg (Rat)	
Dermal	LD50	>2,000 mg/kg (Rat)	
	LC50 / 96 h (static)	560-1,000 mg/ltr (fish) (Poecilia reticulata)	
	EC 50 / 48 h (static)	>1,000 mg/ltr (Daphnia magna (water flea))	
	EC 50 / 96 h (static)	>1,000 mg/ltr (Selenastrum capricornutum (Algae))	
68439-46-	3 Alcohol ethoxylate	C9 - C11	
Dermal	LD50	2,000 mg/kg (Rat)	
97-99-4 te	trahydro-2-furylmeth	anol	
Oral	LD50	>2,000 mg/kg (Rat)	
	LC50 / 48 h	3,400 mg/ltr (fish)	

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- - 12.2 Persistence and degradability No further relevant information available.
  - · 12.3 Bioaccumulative potential No further relevant information available.
  - · 12.4 Mobility in soil No further relevant information available.
  - · Ecotoxical effects:
  - · Remark: Toxic for fish
  - Additional ecological information:
  - General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 7)

*Printing date 26.08.2020 Version: 3 Revision: 26.08.2020* 

Trade name: Solent Orange Plus

(Contd. of page 6)

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

the IBC Code

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations

- · Uncleaned packaging:
- · Recommendation: Disposal in accordance with administrative provisions

14.1 UN-Number	
ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-limonene)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIL N.O.S. (d-limonene), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIL N.O.S. (d-limonene)
14.3 Transport hazard class(es)	
ADR	
Class Label	9 (M6) Miscellaneous dangerous substances and articles. 9
IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles. 9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardous substances: d-limonene
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
Special marking (IATA):	
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Miscellaneous dangerous substances and articles.
EMS Number:	90 F-A,S-F
Stowage Category	A

Not applicable.

(Contd. on page 8)

Printing date 26.08.2020 Version: 3 Revision: 26.08.2020

Trade name: Solent Orange Plus

	(Contd. of page
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
· Tunnel restriction code	-
· Remarks:	Packaging containing 5Lt/Kg or less of product do NOT requir
	labelling as hazardous for transport.
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
S	LIQUID, N.O.S. (D-LIMONENE), 9, III

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 1907/2006 - Reach;

Reg. (EC) n. 2015/830 annex II of REACH;

Reg. (EC) n. 648/04 (Detergents);

Reg. (EC) n. 528/12 (Biocides BPR);

Reg. (EC) n. 1223/2009 (Cosmetics);

Dir. 06/08 ADR – RID - IMDG - IATA; Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	75-100

- · Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Department issuing SDS:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

(Contd. on page 9)

Printing date 26.08.2020 Version: 3 Revision: 26.08.2020

Trade name: Solent Orange Plus

(Contd. of page 8)

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· Contact:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

## Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative WELL: The highest acceptable concentration

IOELV: Indicative occupational exposure limit values

Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.

GB

(Contd. on page 10)

Printing date 26.08.2020 Version: 3 Revision: 26.08.2020

Trade name: Solent Orange Plus

(Contd. of page 9)

### Annex: Exposure scenario

#### Short title of the exposure scenario

For the finished product.

Mykal Performance Degreaser Plus

Solent Orange Plus

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- Conditions of use
- Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- Used amount per time or activity According to directions for use.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure Use only on hard ground.
- · Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

Avoid long-term or repeated skin contact.

- · Other operational conditions affecting consumer exposure No special measures required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures

Use product only in enclosed systems.

Ensure that suitable extractors are available on processing machines

#### · Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Measures for consumer protection Ensure adequate labelling.
- Environmental protection measures
- · Water

Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

Do not allow to reach sewage system.

- · Soil Prevent contamination of soil.
- Disposal measures Ensure that waste is collected and contained.
- Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GB